RMS Santized - Approved For Release 1912, 1997 70-00211R000100320008-6

Office of Communications, Pm 2020 I Bldg

2 December 1957

25X1A9a ATTX

Mr.

Chief, Becords Management Staff

Office of Communications Material Support Branch Survey

25X1A9a

中下多种诗字等

1. In response to a request from Miss the fellowing recommendations on equipment suitable for storage of eard files are submitted. Consideration has also been given to future requirements based on information furnished by the Branch.

## 2. Recommendations.

a. That the Simplafied machine or its equivalent be installed to provide maximum storage and to facilitate reference.

## Considerations:

The floor weight-loading limitations and security considerations will not permit use of this type equipment in the present office space. It is understood that some thought is being given to a vaulted area and one which will permit heavier floor loading in another part of the building for this operation. Present volume of cards is approximately 200,000 with an expected increase of around 50,000 in the next two years. This volume and the frequent reference setivity is considered sufficient to justify use of mechanized equipment.

safe-type againment with card trays. In the event this operation remains in the present office space future expansion should be accomplated by equipment lighter in weight than the 5 drawer card safes now in use. This suggestion is prompted by the fact that the floor load now exceeds the approved safety limit, these eards sust be stored in 3-way combination lock type equipment, and the weight of the 4 drawer Remington Rand Safe is approximately 750 pounds as compared to 1250 pounds for the 5 drawer card safe.

3. Literature on the equipment suggested in "a" above has been furnished to the Branch. I will be glad to give any further assistance to you or your staff that you may desire.

25X1A9a

25X1A9a

Mgt/S/RMS

:skm (2 Dec 57)

Sanitized - Approved Eor-Release : 61A-RDP70-00211R000100320008-6